# LAMP BASES

Arsham Trade

Connecting you to the global market

# LAMP BASES

Arsham Trade

Connecting you to the global market

**Arsham Trading Company is a global sourcing and distribution specialist with over a decade of import/export experience. From our operational hub in Yerevan, Armenia, established in 2016, we manage a worldwide logistics network. We specialize in the supply of a diverse, high-quality collection of lamp bases for the international market. Our primary goal is to be a reliable partner for our clients, ensuring customer satisfaction through superior products and efficient distribution.**



# CONTENT


| | | | |
|---|---|---|---|
| MEHRSA | 9 - 10 | DORTA | 25 - 26 |
| NOORA | 11 | DORTA-T | 27 - 28 |
| NOORA LINE | 12 | DORTA-B | 29 |
| LENA | 13 - 14 | DOERTA-B/T | 30 |
| LIYANA | 15 - 16 | SARINA | 31 |
| ARTA | 17 | DATIS | 33 - 34 |
| ARTAM | 18 | MOSHABAK | 35 - 36 |
| VENDA | 19 | SALTANATI | 37 - 38 |
| ROJA | 20 | ROMI | 39 |
| TARA | 21 | CHATRI | 40 |
| TIYAM | 23 - 24 | ROMI KHOMREHEI | 41 |

# CONTENT


| | | | |
|---|---|---|---|
| | CHATRI KHOMREHEI | 42 | |
| | ROMI KAMARBARIK | 45 | |
| | CHATRI KAMARBARIK | 46 | |
| | HEXAGON | 47 | |
| | HEXAGON-CH | 48 | |
| | HEXAGON-T | 49 | |
| | HEXAGON-CH/T | 50 | |
| | HEXAGON-B | 51 | |
| | HEXAGON-B/T | 52 | |
| | HEXAGON-CH/B | 53 | |
| | HEXAGON-CH/B/T | 54 | |
| | DIYANE | 55 - 56 | |
| | DIYANE DOBLE | 57 | |
| | SOHA | 58 | |
| | AYSODA | 59 | |
| | AYSO | 60 | |
| | RADIN | 61 - 62 | |
| | ATRON | 63 | |
| | ARTIN | 64 | |
| | FANOS | 65 - 66 | |
| | EIFFEL | 67 - 68 | |
| | TYPES OF CAST BASE | 69 - 70 | |

# Model: MEHRSA

- Property of Body: Die-cast aluminum
- Body coasting: electrostatic power paint
- Property of bubble: PC
- Color of body:
- Source of Light: LED Module
- Light Color Temperature: 3000k-4000k-6000k
- Amount Output of Light: 1000 LM
- IP degree of Protection: 64
- Power: 9W




Code: 371302




Code: 371602




Code: 371902

# Model: MEHRSA

Code: 371802




Code: 371242




Code: 371822

Code: 371622

# Model: NOORA




Code: 381822

- Property of Body: Die-cast aluminum
- Body coasting: electrostatic power paint
- Property of bubble: PC
- Color of body:
- Source of Light: LED Module
- Light Color Temperature: 3000k-4000k-6000k
- Amount Output of Light: 1200 Lm
- IP degree of Protection: 64
- Power: 9W




Code: 381902




Code: 381702

Code: 381402

# Model: NOORA LINE

- Property of Body: Die-cast aluminum
- Body coasting: electrostatic power paint
- Property of bubble: PC
- Color of body:
- Source of Light: LED Module
- Light Color Temperature: 3000k-4000k-6000k
- Amount Output of Light: 1200 Lm
- IP degree of Protection: 64
- Power: 11W-12W-15W-18W

11W

Code: 391822

18W




Code: 391902

15W




Code: 391702

12W

Code: 391402

# Model: LENA

600Lm

6W




Code: 401082

- Property of Body: Die-cast aluminum
- Body coasting: electrostatic power paint
- Property of bubble: PC
- Color of body:
- Source of Light: LED Module
- Light Color Temperature: 3000k-4000k-6000k
- Amount Output of Light: 600Lm-500Lm 5500Lm-4000Lm-3000Lm-1500Lm-9000Lm-7000Lm
- IP degree of Protection: 64
- Power: 5W-W-15W-301-40W 55W-70W-90W-110W

4000Lm

40W




Code: 401802

3000Lm

30W




Code: 401602

1500Lm

15W

Code: 401302

# Model: LENA

9000Lm

90W




Code: 401202

7000Lm

70W




Code: 401162

5500Lm

55W




Code: 401122

# Model: LIYANA

600Lm

6 W




Code: 411082

- Property of Body: Die-cast aluminum
- Body coasting: electrostatic power paint
- Property of bubble: PC
- Color of body:
- Source of Light: LED Module
- Light Color Temperature: 3000k-4000k-6000k
- Amount Output of Light: 600Lm-500Lm 5500Lm-4000Lm-3000Lm-1500Lm 9000Lm-7000Lm
- IP degree of Protection: 64 Power:
- 5W-W-15W-301-40W 55W-70W-90W-110W

4000Lm

40W




Code: 411802

3000Lm

30W




Code: 411602

1500Lm

15W

Code: 4111302

# Model: LIYANA

9000Lm

90W




Code: 411202

7000Lm

70W




Code: 411162

5500Lm

55W




Code: 411122

# Model: ARTA

Code: 420822

- Property of Body: Die-cast aluminum
- Body coasting: electrostatic power paint
- Property of bubble: PC
- Color of body:
- Source of Light: LED Module
- Light Color Temperature: 3000k-4000k-6000k
- Amount Output of Light: 1200 Lm
- IP degree of Protection: 54
- Power: 12 W




Code: 420802




Code: 420602

Code: 420302

# Model: ARTAM

- Property of Body: Die-cast aluminum
- Body coasting: electrostatic power paint
- Property of bubble: PC
- Color of body:
- Source of Light: LED Module
- Light Color Temperature: 3000k-4000k-6000k
- Amount Output of Light: 1200 Lm
- IP degree of Protection: 54
- Power: 12 W




Code: 430822




Code: 430802




Code: 430602

Code: 450302

# Model: VENDA

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 15 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel

Code: 440122

| | |
|---|---|
| **A** | 30mm |
| **B** | 30mm |



Code: 440222

| | |
|---|---|
| **A** | 10mm |
| **B** | 48mm |



Code: 440302




Code: 440502

Code: 440802

# Model: ROJA

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body: ●●●
- Body coasting: electrostatic power paint
- Power: 15 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel




Code: 450122

| | |
|---|---|
| **A** | 30mm |
| **B** | 30mm |




Code: 450802

Code: 450502

| | |
|---|---|
| **A** | 60mm |
| **B** | 60mm |




Code: 450302

Code: 450222

# Model: TARA




Code: 460712







Code: 460922

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: PMMA
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel




Code: 462212&962022




Code: 460402




Code: 460602




Code: 460802

# Pressurized Die-Casting Unit

- Die-casting is done by inserting molten metal into the cavity of the mold under high pressure. The production of very thin and also with very high resistance is almost impossible using other casting methods.
- The casting machine is a high-strength steel mold that consists of several ducts. These ducts are used for melting several pieces at the same time. A release agent is applied to lubricate and remove the part.
- Then the cylinder is filled with molten metal until it is inserted into the mold cavities with a piston. The piston continues the pressure until the melt completely fills the mold.
- When the metal is sufficiently cooled, the casting machine separates it from the mold and it cleans the angles and sharpness of each piece separately. Then each part is specially machined
- The advantages of die-casting include as follows, the possibility of producing complex parts / the part produced by die-casting has a good surface finish and does not require subsequent machining operations and is extremely economical due to the operation / having more resistance and...

# Model: TIYAM




Code: 472312&962022




Code: 472212&962022




Code: 472712&962022

Code: 470222

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel




Code: 470122




Code: 470622




Code: 470722




Code: 470422




Code: 470322




Code: 470522




Code: 471012




Code: 471032

Code: 471022&940802

# Model: DORTA




Code: 480212




Code: 480112




Code: 480712




Code: 480812

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel




Code: 480802




Code: 480602




Code: 480352




Code: 481012




Code: 480512

Code: 480912




Code: 480312




Code: 482712&962022




Code: 482912&962022




Code: 482212&962022

# Model: DORTA-T




- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body: ●●●
- Body coasting: electrostatic power paint
- Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel

Code: 480812t




Code: 480912t




Code: 480212t




Code: 480712t




Code: 480802t




Code: 480602t




Code: 480352t




Code: 481012t

# Model: DORTA-T




Code: 480412t




Code: 480512t




Code: 480312t




Code: 482712t&962022




Code: 482112t&962022




Code: 482212t&962022

# Model: DORTA-B




Code: 480112b

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body: ●●●
- Body coasting: electrostatic power paint
- Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel




Code: 480712b




Code: 481012b

Code: 480912b




Code: 480902b




Code: 480702b




Code: 480452b




Code: 482712b&962022

# Model: DORTA-B/T




Code: 480512b/t

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body:
- Body coasting: electrostatic power paint
  Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel




Code: 480312b/t




Code: 480412b/t




Code: 481012/t




Code: 482512b/t&962022

Code: 480902b/t




Code: 480702b/t




Code: 480452b/t

# Model: SARINA

Code: 490822

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 15 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel




| | |
|---|---|
| **A** | 30mm |
| **B** | 30mm |




| | |
|---|---|
| **A** | 10mm |
| **B** | 48mm |

Code: 490352

Code: 490602




Code: 490802

## Grinding

- It is a chipping process that removes excess material from the piece. Each of the abrasive grains changes the shape of a small part of the work piece and makes the piece smooth and polished. Grinding is usually the final stage of work on the part, after which, the quality of the surface is increased and it is actually a kind of surface finishing

## WELDING

- It is one of the best and oldest methods used in the industry to connect two parts.
- This process, according to the type of materials used or the place where it is performed, puts different solutions in front of engineers and technicians who deal with welding in some way.

# Model: DATIS




- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel

Code: 500112




Code: 500912




Code: 500412




Code: 500512




Code: 500222




Code: 500722




Code: 500622




Code: 501012




Code: 501022&940802




Code: 501032




Code: 502212&962022




Code: 502122&962022




Code: 502712&962022

# Model: MOSHABAK

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel

Code: 510622




Code: 510312




Code: 510912




Code: 510512




Code: 510122




Code: 510222




Code: 510722




Code: 511012




Code: 511022&940802




Code: 511032




Code: 512212&962022




Code: 512122&962022




Code: 512312&962022

# Model: SALTANATI

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel

Code: 520212




Code: 520312




Code: 520412




Code: 520215

Code: 5201522

Code: 520722

Code: 520622




Code: 521012

Code: 521022&940802

Code: 521032




Code: 522112&962022




Code: 522222&962022




Code: 522312&962022

# Model: ROMI

Code: 530622

Code: 530122

Code: 530222

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel




Code: 532222&962022




Code: 531022&940802




Code: 531012

Code: 531032

# Model: CHATRI

Code: 570612

Code: 570112

Code: 570212

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel




Code: 572212&962022




Code: 571032




Code: 571022&940802




Code: 571012

# Model: ROMI KHOMREHI




Code: 540622




Code: 540122

Code: 540222

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Sandblast Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel

Code: 541032




Code: 542722&962022




Code: 541012




Code: 541022&940802

# Model:CHATRI KHOMREHI

Code: 580612

Code: 580112

Code: 580212

- Lamp consumption source: E27 |
- Property of Body: Die-cast aluminum
- Property of bubble: Sandblast Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 20 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel




Code: 582712&962022

Code: 581022&940802

Code: 581032




Code: 581012

## Dryer, Finishing and Polishing Vibration Machine

- The vibration process or the final production processes (Finishing Process) is cared out by the Vibration Machine to dean the bleats, fats and oxides on the parts, as well as their final polishing is done in mechanized basis. After the pleating operation, the polishing operation is done to make the parts smooth and uniform, and at the end, the parts are transferred to another machine which is a rover. The drying of the parts is made after the vibration process in order to prevent iodation of the parts

## The F Lamp

- slands for Ingress Protection which means protection against penetration
- This is a classification that classifies tight fittings (and many others) for their appropriateness for use in venous locations.
- This classification is based on how water or dust can reach the place of positioning of the lamp:
- When choosing of lighting products and LED Ights for any project, the degree of ingress protection eP is of paramount imponance:

## Electrostatic Powder Paint

- No need to solvent is one of the most important reasons for the popularity of furnace paint among craftsmen and industrialists.
- Paint solvent harms human health by producing toxic gases in the environment. Fumace paint also creates less pollution than loud paints. Electrostatic powder paint is used to cover metallic and non-metallic surfaces. For this purpose, the paint is first sprayed on the desired product using a special gun (similar to a pistol). Then the product is heated in special industrial ovens at a temperature between 180 and 220 degrees Celsius. The magnetic load in the furnace paint will make the surface of the product uniform and integraled

## Polycarbonate

- The property of bubbles of this production unit and made of polycarbonate. Polycarbonate has high strength, hardness, heat resistance, excellent dimensional condition and stability in color. Polycarbonate is an ideal and widely used material in the industry due to its diverse characteristics of compatibility with the environment and being recyclable.
- Polycarbonates maintain their strength at the temperatures between -20 and 140 degrees Celsius and cannot be broken. This high strength and resistance against strike and scratch creates safety and eases the processes that requires high performance and reliability for use

# Model: ROMI KAMARBARIK

Code: 550612

Code: 550112

Code: 550212

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Sandblast Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 15 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel

Code: 541032




Code: 551012

Code: 551022&940802




Code: 552112&962022

# Model: CHATRI KAMARBARIK

Code: 590612

Code: 590122

Code: 590222

Code: 591032

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Sandblast Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 15 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel




Code: 592122&962022

Code: 591022&940802




Code: 591012

# Model: HEXAGON




Code: 560622

Code: 560222

Code: 560322

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel

Code: 561032




Code: 561012

Code: 561022&940802




Code: 562122&962022

# Model: HEXAGON - CH

Code: 560612ch

Code: 560312 ch

Code: 560212ch

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body: ●●●
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel

Code: 561032ch




Code: 561012ch




Code: 561022ch&940802




Code: 562112ch&962022

# Model: HEXAGON - T

Code: 560722t




Code: 560422t




Code: 560522t




Code: 561032t

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel




Code: 562222t&962022




Code: 561022t&940802




Code: 561012

# Model: HEXAGON - CH/T




Code: 560412ch/t




Code: 560512ch/t




Code: 560712ch/t

Code: 561032ch/t

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel




Code: 562212ch/t&962022

Code: 561022ch/t&940802




Code: 561012ch/t

# Model: HEXAGON - B




Code: 560622b

Code: 560722b




Code: 560222b

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel




Code: 561032b




Code: 561012b

Code: 561022b&940802




Code: 562722b&962022

# Model: HEXAGON - B/T




Code: 560322b/t




Code: 560422b/t




Code: 560522b/t

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel




Code: 561032b/t




Code: 562312b/t&962022




Code: 561012b/t

Code: 561022b/t&940802

# Model: HEXAGON-CH/B

Code: 560212ch/b




Code: 560712ch/b




Code: 560612ch/b

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body: ●●○
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel




Code: 561032ch/b




Code: 562712ch/b&962022




Code: 561012 ch/b




Code: 561022ch/b&940802

# Model: HEXAGON-CH/B/T




Code: 560512ch/b/t




Code: 560312ch/b/t




Code: 560412ch/b/t




Code: 561032ch/b/t

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Glass
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel




Code: 562522ch/b/t&962022

Code: 561022ch/b/t&940802




Code: 561012ch/b/t

# Model: DIYANE

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 55
- Screw: Steel

Code: 600622




Code: 600412




Code: 600512




Code: 600312




Code: 600722




Code: 600222

Code: 600122




Code: 601012

Code: 601022&940802

Code: 601032




Code: 602112&962022




Code: 602322&962022




Code: 602212&962022

# Model: DIYANA DOBLE




Code: 610612

Code: 610212

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 55
- Screw: Steel




Code: 611032

Code: 610312




Code: 612322&962022

Code: 611022&940802




Code: 611012

# Model: SOHA

Code: 620622

Code: 620122

Code: 620722

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 55
- Screw: Steel




Code: 621032







Code: 621012

Code: 621022&940802

Code: 622312&962022

# Model: AYSODA

Code: 650512




Code: 650312

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel

Code: 650712




Code: 652322&962022

Code: 651032

Code: 651022&940802




Code: 651012

# Model: AYSO

Code: 630622

Code: 630222




Code: 630422

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body: ●●●
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel

Code: 631032




Code: 632212&962022




Code: 631012

Code: 631022&940802

# Model: RADIN

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel

Code: 660322




Code: 660412

Code: 660512

Code: 660712

Code: 660122

Code: 660222

Code: 660622




Code: 661012

Code: 661022&940802




Code: 661032




Code: 662422&962022




Code: 662312&962022




Code: 662522&962022

# Model: ATRON

Code: 640622

Code: 640122

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel

Code: 642212&962022

Code: 6402222

Code: 641032

Code: 641022&940802




Code: 641012

# Model: ARTIN

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel

Code: 670612




Code: 671012

Code: 671032




Code: 672312&962022




Code: 671022&940802

Code: 670312

Code: 670412

# Model: FANOS

- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 44
- Screw: Steel

Code: 680312

Code: 680712

Code: 680512

Code: 680412

Code: 680122

Code: 680622

Code: 680222




Code: 681012

Code: 681022&940802

Code: 681032




Code: 682312&962022




Code: 682422&962022




Code: 682212&962022

# Model: EIFFEL




- Lamp consumption source: E27
- Property of Body: Die-cast aluminum
- Property of bubble: Polycarbonate
- Color of body:
- Body coasting: electrostatic power paint
- Power: 30 W
- Input Voltage: AC220V/50HZ
- IP degree of Protection: 54
- Screw: Steel

Code: 690212




Code: 690512




Code: 690412




Code: 690312




Code: 690622




Code: 690122

Code: 690722




Code: 691012

Code: 691022&940802

Code: 691032




Code: 692422&962022




Code: 692312&962022




Code: 692522&962022

Code: 952022 | Code: 962022 | Code: 962012 | Code: 950872 | Code: 960702 | Code: 960542

| Base plate (mm) | Hight (sm) | Code | Anun |
|---|---|---|---|
| 120/160 | 200 | BI-952022 | SEPIDAR BASE |
| 120/160 | 200 | BI-962022 | SAVIZ BASE -LARGE |
| 120/160 | 200 | BI-962012 | SAVIZ BASE |
| - | 87 | BI-950872 | SEPIDAR BASE COVER |
| - | 70 | BI-960702 | SEPIDAR BASE COVER LARGE |
| - | 54 | BI-960542 | SAVIZ BASE CAVER |

Code: 932402 | Code: 922102 | Code: 922002 | Code: 921202 | Code: 942102 | Code: 941452 | Code: 940802 | Code: 940182

| Base Plate (mm) | Hight (sm) | Code | Name |
|---|---|---|---|
| - | 60-300 | BI-932402 | UNDER BASE -LONG |
| 120/160 | 210 | BI-922102 | FLANGED EXTERIOR -8 TO 6 |
| 120/160 | 120-300 | BI-922002 | FLANGED EXTERIOR |
| 120/160 | 60-120 | BI-921202 | FLANGED EXTERIOR |
| - | 210 | BI-942102 | NOEL |
| - | 145 | BI-941452 | NOEL |
| - | 80 | BI-940802 | NOEL |




Code: P 03




Code: L 01




Code: F 06




Code: J 05

Code: R 09




Code: S 02




Code: Z 04




Code: T 07




| Name | A(mm) | B(mm) | C(mm) | Material |
|---|---|---|---|---|
| Shablon 10 | 100 | 10/5 | 57 | Iron |
| Shablon 12 | 120 | 14 | 57 | Iron |

| Anchor bolt | H(mm) | L(mm) | B(mm) | D(mm) | M(mm) | (kg) |
|---|---|---|---|---|---|---|
| M 10 | 125 | 40 | 50 | 8/7 | 10 | 0/075 |
| M 14 | 235 | 65 | 70 | 12/3 | 14 | 0/260 |



**Showroom**
+374 43657020
+374 33657020
**Sales Department**
+374 93657011
+374 98657011
28 Hrachya Kochar, Yerevan, Armenia
ARSHAMTRADE.COM

**Each modern, classic, and minimalist lamp is designed to give the space a distinctive character. It combines functionality and aesthetics, serving both as a source of light and a design solution.**